



BRIA WINDOWS CONFIGURATION

Figure1: Home Screen

Step 1: click on the Softphone Menu Item on the top left portion of the screen – then click “Account Settings.”




Figure 2: Accounts Settings Screen

Step 2: Click the Add dropdown Menu and then click "SIP Account..." to add a new Account.




Figure 3: SIP Account Screen

Step 3: Enter the information provided by PressONE to configure your individual accounts.

Required Fields are:

Account Name: (this can be any name)

Allow this account for: Check only “Call” and uncheck “IM/Presence”

User Details:

User ID = Username (provided separately)

Domain = *as.commx.net*

Password = provided separately

Display Name = Your Name

Authorization Name = provided separately

Domain Proxy

Check the box “Register with domain and receive calls”

Send outbound via: select “Proxy” and in the address field enter: *sbc.pressone.net*

The screenshot shows the 'SIP Account' configuration window with the 'Account' tab selected. The 'Account name' field is empty, with a yellow warning icon and the text 'Account name required' next to it. The 'Protocol' is set to 'SIP'. Under 'Allow this account for', both 'Call' and 'IM / Presence' are checked. The 'User Details' section contains fields for 'User ID', 'Domain', 'Password', 'Display name', and 'Authorization name', all of which are empty. The 'Domain Proxy' section has the checkbox 'Register with domain and receive calls' checked. Under 'Send outbound via', the 'Domain' radio button is selected, and the 'Proxy' radio button is unselected. The 'Dial plan' field at the bottom contains the text '#2!a!a.T;match=1;prestrip=2;'. The 'OK' and 'Cancel' buttons are at the bottom right.

Account	Voicemail	Topology	Presence	Storage	Transport	Advanced
Account name: [Empty] Account name required						
Protocol: SIP						
Allow this account for						
<input checked="" type="checkbox"/> Call						
<input checked="" type="checkbox"/> IM / Presence						
User Details						
User ID: [Empty]						
Domain: [Empty]						
Password: [Empty]						
Display name: [Empty]						
Authorization name: [Empty]						
Domain Proxy						
<input checked="" type="checkbox"/> Register with domain and receive calls						
Send outbound via:						
<input checked="" type="radio"/> Domain						
<input type="radio"/> Proxy Address: [Empty]						
Dial plan: #2!a!a.T;match=1;prestrip=2;						
OK Cancel						

Figure 4: SIP Account Voicemail Screen

Step 4:
Click the check box “Check for voicemail”

Step 5:
Enter *86 into the field
“Number to dial for checking voicemail”

Step 6: Click Ok



The screenshot shows a window titled "SIP Account" with several tabs: Account, Voicemail (selected), Topology, Presence, Storage, Transport, and Advanced. The Voicemail tab contains the following settings:

- ☒ Check for voicemail
- Number to dial for checking voicemail:
- Number for sending calls to voicemail:
- ☐ Send calls to voicemail if unanswered for: seconds
- Forwarding**
 - ☐ Forward to:
 - ☐ When on the phone, forward to:

At the bottom right of the window are "OK" and "Cancel" buttons.